

2/po11

Docket No. 0518-1082-1

METHOD FOR LOADING FLIGHT SCHEDULE MODIFICATIONS

The present invention relates to a method of loading flight scheduling changes into a computerized air transport reservation system.

The scheduling changes in such systems require very large manipulations of the existing schedule database.

Flight schedule describes the manner in which the aerial network is followed by the aircraft. Scheduling is calculated for the purpose of optimizing the connection between flights, use of aircraft and the occupation of seats. Changes to be given to an existing schedule are for this reason generally changes which are not isolated, which have a possible impact on correspondence with other flight operations.

At present, flight schedules are subject to more and more reorganization, given the composition, the need for agreement between the airlines and the sophistication of the computer means to establish schedules.

Usually, the airlines make scheduling changes one after the other. During these changes, the person charged with making the changes has no knowledge of the seat reservations existing on aircraft which he is changing.

The aircraft reservation inventory system applies changes to the schedule database without being capable of apprehending over all the number of changes and modifications which this involves.

The present procedure used, consisting in applying scheduling changes one after the other, has a first drawback which consists of the fact that the reservations already made are generally changed more often than necessary. This situation  
5 arises particularly if the passengers are rescheduled for another flight and this latter is accordingly subject to a change. In this latter case, it is necessary further to modify the passenger reservation.

Passenger reservation changes are costly because they  
10 give rise to manual intervention on the part of travel agents, network costs and computer processing.

Another drawback of the present methods used, is that large changes to be given to an existing schedule database can occupy a long time because the repercussions on the reservations  
15 of the passengers must be analyzed manually on a case by case basis.

The object of the invention is to provide a solution to the problem of flight scheduling changes in a computerized air transport reservation system.

20 To provide for this purpose a new method in which there is used updating of the flight schedule database and the assignment of the reservations in question by changes of flight scheduling for updating the reservation inventory database, in a particular manner.

A first advantage of the invention is to method a plurality of flight scheduling changes in an overall manner, which permits envisaging the assignment of passenger reservations taking account of the integrality of these changes, no matter  
5 what the order of the changes in the scheduling modification file.

Moreover, according to the invention, the scheduling changes are applied by means of a simulation without final activation, which avoids risks of disturbance of the existing  
10 database before complete finalization and validation of the update.

To provide an overall choice in the reassignment of passenger reservations, the invention permits the server to have access both to the existing database and to new records  
15 corresponding to future schedule which is to be used.

It will be noted that the gains of efficiency of the invention are particularly great, especially given the massive overall character of the scheduling changes to be carried out.

By way of example, there can be distinguished different  
20 types of procedure for scheduling changes :

- seasonal changes which comprise massive scheduling changes varying in size from 2000 to 8000 lines and which generally require a validation of several instances of the control

organization of the computerized air transport reservation system,

- readjustments. Generally, it is a matter of changes affecting flights and a near departure date and for which the reassignment of the reservations is particularly important and requires particular consideration.
- regular changes which can be carried out in a largely automatic fashion, given their nature.

The present invention permits loading such changes no matter what their nature and also permits controlling an assembly of automation parameters of the updates to be carried out.

Within this scope, there can be easily be adjusted the level of manual control to be performed for the changes in question.

Other objects and advantages will become apparent from the course of the description which follows, of a preferred embodiment of the invention, which is however not limiting.

The present invention relates to a method for loading flight schedule changes in a computerized air transport reservation system, in which:

- the flight schedule database is updated;
- the reservations in question by changes of flight schedules are reassigned to update the reservation inventory database,

characterized by the fact that it comprises the following steps:

- reception of at least one group of changes containing flight scheduling change data,
- 5 - extraction of the individual changes contained in the group and storing in a register as future schedule records,
- simulation of the assignment of the reservations in question by scheduling changes, by access of
- 10 the reservation distribution server both to the records and to the flight schedule database,
- final updating of the flight schedule and of the reservations inventory databases.

This method will preferably have the following  
15 modifications, according to which:

- there is used a graphical user interface for verification of the changes in the group of changes.
- there is used a graphical interface user for the
- 20 validation of the reassignments of reservations.
- there is assigned a characteristic suffix (SL) to the changes to be stored as future schedule records (FSR)

- there is assigned to each record (FSR) an argument (FSR is published) indicating whether this record (FSR) has been made accessible to the reservation distribution server.
- 5       - for each change extracted:
- flight periods are opened from the flight schedule database that are affected by the change;
- if said period has not already been assigned by a  
10       change whose argument (FSR is published) is positive, said period is duplicated and the suffix (SL) is attached to the duplicated period;
- there is sent a scheduling change message to  
15       integrate the change into the duplicated period that it affects;
- it is indicated that the change is record accessible to the reservation distribution server by placing its argument (FSR is published) in the positive state.
- 20       - upon simulation of reassignment, the dependencies between records are updated given that a record A depends on a record B if and only if the reassignment of the passengers upon the

application of record A that takes place for future schedule described in record B.

- in the case of cyclical dependence between several records, upon the execution of the reassignment operations in the reservation system, one modifies only once and each reservation in question by all of these reassignments.
- the records (FSR) are deleted after final updating of the flight schedule and of the reservations inventory databases.

The accompanying drawings are given by way of example and do not limit the invention. They represent only one embodiment of the invention and permit its easy comprehension.

Figure 1 shows schematically the configuration of different computer means adapted to be used to practice the invention.

Figures 2 and 3 are block diagrams of various successive steps of the present invention.

Referring to Figure 1, it is shown that the method given here can use the scheduling change server SLS adapted to receive a group of scheduling change tasks to be carried out. Moreover, this change server SLS is accessible to a user such as an analyst or a supervisor by means of a graphical user interface GUI in particular for verification of the changes made in the

change file constituting the group of change tasks and for the validation of the reassignments of reservations.

A portion of the steps of the method of the invention can moreover be carried out in the distribution portion of the reservation system in the distribution server CS and of the  
5 existing database db1 comprising the database of reservation inventories and the flight schedule database.

In the scheduling change server SLS, upon the arrival of a group of changes, it is possible in the first instance to  
10 verify the integrity of the changes and of the possible conflict problems, to test the automation rules and to render the data accessible by means of the graphical utilizer interface GUI.

At this stage, different automation criteria could be carried out for each of the groups of changes to be made. In  
15 particular, the automation criteria concern the automation of the scheduling changes and the automation of the reservation reassignments. According to the value of these parameters, the changes can be processed manually or automatically or else can have certain manual steps and certain automated steps.

20 Preferably, analytical interveners perform a step of validation according to the processing and automation parameters which have been provided.

If desired, a supervisor can also carry out a verification thereafter. These steps of validation which lead to

signature by the analysts and of the supervisor, are shown in Figure 2.

At the end of these steps, it is possible to produce future schedule records which can be used by the central system in the distribution server CS. To this end, there is stored in a register of the different changes from the group of changes received in the form of future schedule records FSR.

The future schedule records FSR are rated accessible by the distribution server CS in the form of a publication. There will be described one possibility for a procedure provided for this purpose:

- we start by determining the list of scheduling changes which must be published as future schedule records FSR. In this way, there are omitted all the changes which have no impact on the reassignments of the reservations, in particular changes which relate only to updating of service such as providing onboard airline meals.

- for each of the scheduling changes of the list, there are carried out the following:

- there is assigned to each record FSR a suffix SL which permits characterizing as a future schedule record FSR relative to the other data accessible by the distribution CS,

■ there is assigned to each record FSR an argument, for example called "FSR is published" indicating whether this record FSR has been rendered accessible to the reservation distribution server CS or not.

5 If the argument "FSR is published" is true, this means that the record FSR is accessible,

■ there are noted, in the existing schedule, the flight periods which are affected by the change in question.

10 ■ for each of these affected periods, researched whether it is already concerned by a schedule change which would have an argument "FSR is published" identified as true. If this is not the case, this period is duplicated by assigning the suffix SL.

15 If the argument "FSR is published" is already true for a preceding change, it means that this period has already been duplicated. At this stage, the central system thus has a duplicate of the current schedule with the suffixes SL.

20 ■ there is thus sent a schedule change message for the data having the suffix SL, this message describing how the future scheduling must be handled. The central system thus has future schedules perfectly described in the periods in  
25 question to which are assigned the suffix SL.

- for this change of schedule, the argument "FSR is published" is placed in the condition of being true.

These different operations are then repeated for all  
5 the scheduling changes contained in the group until they all have  
an argument "FSR is published" in the true column.

Following these steps, the central system, and  
particularly the distribution service CS, is capable of accessing  
the future schedule records FSR so as to find the best flight  
10 alternatives during reassignment of the reservation.

It is this step which is then carried out.

There will be described hereafter in greater detail a  
preferred embodiment.

When it is completed and the updating of the databases  
15 is final, it will be possible to delete the future schedule  
records FSR.

There will now be described more precisely the steps of  
simulation of the reassignment of the reservation which precede  
the final updating of the flight and reservation schedule  
20 databases.

The reservation system automatically selects a  
reassignment option (for each change of scheduling requiring it).  
This option is selected from among the future schedules FSR or  
the current schedules (for flights not affected by the group in  
25 progress).

Once the automatic reassignment options are evaluated, the system verifies them thanks to the reassignment automation rules. The reassignments not satisfying these rules are subjected to validation by an operator (who will then modify the options automatically calculated by the system).

When all the reassignments have been validated, the application properly so called of the group of changes in the reservation system can begin.

To this end, it should first be noted that the reassignment of passengers rise problems of interdependence of the flights. There is meant by dependency between two scheduling changes, the necessity, to carry out a change (S1 for example) relating to flight F1, to reassign certain passengers from the flight F1 to a future schedule S2 concerning a flight F2.

Moreover, there can be encountered questions of cyclic dependency in which the dependence of the flights is reciprocal.

In this context (for example suppose two scheduling changes S1 and S2 relating to flights F1 and F2 involve the reassignment of reservations of F1 to the future schedule of F2 and the reassignment of the reservations of F2 to the future schedule of F1), it would be necessary, during execution of the reassignments in the reservation system, of modifying only once each reservation in the context of a group of changes of reservation (so as to avoid in our example the passengers not

being reassigned to future schedule of F2 and then again toward future schedule of F1).

During the execution of the group of scheduling changes, the schedule database is first of all updated.

5           The system then allocates the single operation identifier "I" characterizing the group in progress. The reservation system then receives the assembly of reassignment instructions as well as the operation identifier "I". It must then guarantee the uniqueness of modification of each reservation  
10 in the context of the operation "I".

The preferred embodiment of this constraint consists for each modification of reservation, to:

- verify that this reservation does not have the mark "I",
- 15       - modifying the reservation in this case
- then marking the modified reservation with the identifier "I".

To the extent of reassignments, the inventory database is also updated.

20           The three databases (inventory, reservation and schedule) are then up to date and the FSR records can be deleted.

REFERENCES

SLS: Schedule change server

CS: Distribution server

db1: Existing database

5

GUI: Graphical user interface